Page 1 of 4 MSDS # 110353001

PLEDGE® WITH ORANGE OIL

Date Issued: 26Feb2004			Supersedes: 01Aug2001				
US MANUFACTURER: S.C. Johnson & Son, Inc. Phone: (800) 725-6737 Racine, Wisconsin 53403-2236 Emergency Phone: (888) 779-7920 International Emergency Phone: (262) 886-1480			CANADIAN MANUFACTURER: S.C. Johnson and Son, Limited Phone: (800) 725-6737 1 Webster Street Brantford, Ontario N3T 5R1 Transportation Emergency: CANUTEC (collect) (613) 996-6666 Poison Control: (888) 779-7920				
HAZARD RATING HM				BUTED IN CANADA BY:			
4-Very High 3-High 2-Moderate 1-Slight 0-Insignificant	1 Health 1 Flammability 0 Reactivity Special	1 1 0	S.C. Johnson and Son, Limited Phone: (800) 725-6737 1 Webster Street Brantford, Ontario N3T 5R1				
SECTION 1 - PRODUCT IDENTIFICATION							
PRODUCT NAME PLEDGE® WITH ORANGE OIL REASON FOR CHANGE No significant changes. PRODUCT USE Household: Furniture care							
SECTION 2 - II	GREDIE. IT INFOR	XIVIA I I)]{				
INGRE				EXPOSURE LIMIT/TOXICITY	_		
Emulsifier			1-3				
SECTION 3 - HEALTH HAZARDS IDENTIFICATION (Also See Section 11)							
ROUTE(S) OF ENTRY Skin contact. EFFECTS OF ACUTE EXPOSURE: EYE None known. SKIN Prolonged or repeated contact may cause: Mild skin irritation. INHALATION None known. INGESTION Aspiration into the lungs may cause severe health effects. MEDICAL CONDITIONS Persons with pre-existing skin disorders may be more susceptible to irritating effects. AS BEING AGGRAVATED BY EXPOSURE							
SECTION 4 - FIRST AID MEASURES							
EYE CONTACTSKIN CONTACTINHALATIONINGESTION	No special require Wash contaminated No special require Do not induce von or milk. Seek imm	d area rements miting!	with wa Immedi	lately drink 1-2 glasses of water			
SECTION 5 - FIRE AND EXPLOSION INFORMATION							
FLASH POINT							

Page 2 of 4 MSDS # 110353001

PLEDGE® WITH ORANGE OIL

Date Issued: 26Feb2004 Supersedes: 01Aug2001

----- SECTION 5 - FIRE AND EXPLOSION INFORMATION (continued) -----

FLAMMABLE LIMITS..... Not available. AUTOIGNITION..... Not available.

TEMPERATURE

EXTINGUISHING MEDIA.... Foam. CO2. Dry chemical. Water fog.

SPECIAL FIREFIGHTING... Normal fire fighting procedure may be used.

PROCEDURES

UNUSUAL FIRE AND...... Container may melt and leak in heat of fire. Liquid run-off to

EXPLOSION HAZARDS sewers may create fire/explosion hazard.

----- SECTION 6 - PREVENTIVE RELEASE MEASURES -----

STEPS TO BE TAKEN IN... Eliminate all ignition sources. Dike large spills. Absorb with CASE MATERIAL IS oil-dri or similar inert material. Sweep or scrape up and RELEASED OR SPILLED containerize.

------- SECTION 7 - HANDLING AND STORAGE -------

PRECAUTIONARY..... DANGER: Harmful or fatal if swallowed. If swallowed, do not INFORMATION induce vomiting. If swallowed: rinse mouth with water, then drink large quantities of water or milk and then go to a doctor or hospital emergency room. Contains: petroleum distillate. Keep

out of reach of children.

OTHER HANDLING AND..... Wash thoroughly after handling. Keep out of reach of children.

STORAGE CONDITIONS

----- SECTION 8 - SPECIAL PROTECTION INFORMATION ------

RESPIRATORY PROTECTION. No special requirements under normal use conditions.

VENTILATION..... No special requirements.

PROTECTIVE GLOVES..... No special requirements under normal use conditions. EYE PROTECTION..... No special requirements under normal use conditions.

OTHER PROTECTIVE..... No special requirements.

MEASURES

----- SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES -----

COLOR..... Yellow PRODUCT STATE Liquid. ODOR..... Citrus

pH...... Not available. ODOR THRESHOLD..... Not available.
SOLUBILITY IN WATER... Negligible
SPECIFIC GRAVITY..... 0.85

(H2O=1)

VISCOSITY......... Not available VAPOR DENSITY (AIR=1).. Not available. EVAPORATION RATE (BUTYL Not available.

ACETATE=1)

VAPOR PRESSURE (mm HG). Not available. BOILING POINT..... Not available. FREEZING POINT..... Not available. COEFFICIENT OF..... Not available.

WATER/OIL

PERCENT VOLATILE BY.... > 90

VOLUME (%)

Page 3 of 4 MSDS # 110353001

PLEDGE® WITH ORANGE OIL

Date Issued: 26Feb2004	Supersedes: 01Aug2001				
SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES (continued)					
VOLATILE ORGANIC COMPOUND (VOC)	< 5 d-Limonene.				
THEORETICAL VOC (LB/GAL)	Not available.				
SECTION 10 - STABILITY AND REACTIVITY					
STABILITYSTABILITY - CONDITIONS. TO AVOID					
INCOMPATIBILITY HAZARDOUS DECOMPOSITION PRODUCTS	None known. When exposed to fire: Produces normal products of combustion.				
HAZARDOUS POLYMERIZATION					
HAZARDOUS POLYMERIZATION - CONDITIONS TO AVOID	Not applicable.				
SECTION 11 - TOXICOLOGY INFORMATION (Also See Section 3)					
LD50 (ACUTE ORAL TOX)					
LD50 (ACUTE DERMAL TOX) LC50 (ACUTE INHALATION. TOX)					
EFFECTS OF CHRONIC EXPOSURE					
SENSITIZATION					
CARCINOGENICITY REPRODUCTIVE TOXICITY					
TERATOGENICITY					
MUTAGENICITY					
SECTION 12 - ECOLOGICAL INFORMATION					
ENVIRONMENTAL DATA	Not available.				
SECTION 13 - DISPOSAL CONSIDERATIONS					
WASTE DISPOSAL INFORMATION	No special method. Observe all applicable Federal/ Provincial/ State regulations and Local/ Municipal ordinances regarding disposal of non-hazardous materials.				
SECTION 14 - TRANSPORTATION INFORMATION					
US DOT INFORMATION	Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.				
CANADIAN SHIPPING NAME. TDG CLASSIFICATION PIN/NIP PACKING GROUP EXEMPTION NAME	PLEDGE [®] WITH ORANGE OIL Not applicable. Not applicable. Not applicable.				

MATERIAL SAFETY DATA SHEET

Page 4 of 4 MSDS # 110353001

PLEDGE® WITH ORANGE OIL

Date Issued: 26Feb2004 Supersedes: 01Aug2001				
SECTION 15 - REGULATORY INFORMATION				
WHMIS CLASSIFICATION Not applicable.				
All ingredients of this product are listed or are excluded from listing Substances Control Act (TSCA) Chemical Substance Inventory.	on the U.S. Toxic			
All ingredients in this product comply with the New Substances Notificat under the Canadian Environmental Protection Act (CEPA).	ion requirements			
This product is not subject to the reporting requirements under Californ	ia's Proposition 65.			
SECTION 16 - OTHER INFORMATION				
ADDITIONAL INFORMATION. Use as directed. EPA REGISTRATION # Not applicable.				
PREPARATION INFORMATION				
PREPARED BY Manufacturer's Technical Support Department. R (Manufacturer) for contact information.	efer to page l			

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

PRINT DATE: 26Feb2004